



P-SCANRANGER

Presentation Scanner 1D/2D

P-SCANRANGER è un lettore omnidirezionale in grado di leggere codici 1D e 2D, anche da smartphone. Si tratta di un dispositivo estremamente versatile grazie alla sua compattezza che, però, non ne limita affatto le prestazioni di lettura. P-SCANRANGER dispone di un campo di lettura particolarmente ampio, fino a 46° in orizzontale e fino a 30° in verticale. Il suo design accattivante lo rende una soluzione ideale per applicazioni in ambiente retail.



ACCESSORI

Contenuto della confezione:

- Dispositivo, cavo USB-RJ45, manuale d'uso, garanzia

SCHEDA TECNICA

Interface

HID USB / USB COM / RS232

Barcodes supported (1D)

UPC/EAN/ (UPCA/UPCE/UPCE 1 /EAN-8/EAN-I 3/ JAN-8/ JAN- I 3 plus supplemental, ISBN, ISSN, Coupon Code), Code 39, Code 39 Full ASCII, Trioptic, Code 32 (Italian Pharmacode), Code 128 (Standard, Full ASCII, UCC/EAN-128, ISBT-128 Concatenated), Code 93, Codebar/NW7, Interleaved 2 of 5, Discrete 2 of 5, IATA, Chinese 2 of 5, Matrix 2 of 5, Code 11), MSI Plessey, GSI DataBar, (Omnidirectional, Truncated, Stacked, Stacked Ominidirectional, Limited, Expanded, Expanded Stacked)

Barcodes supported (2D)

PDF417 (Variant, Standard, Macro), MicroPDF417 (Standard, Macro), Composite Codes (CC-A, CC-B, CC-C), MaxiCode, Data Matrix, Data Matrix Inverse, QR Code, QR Inverse, Micro QR Code, Aztec Code, Aztec Inverse, U.S. Posnet and Planet, U.K. Post, Japan Post, Australian Post, Netherlands KIX Code, Royal Mail 4 State Customer, UPU FICS 4 State Postal, USPS 4CB

OPTICAL

Optical system

752 (H) × 480 (V) pixels (Wide VGA)

Light source

Aiming pattern: single dot, 625 nm LED

Resolution

4 mil (CODE 39), 7.5 mil (Data Matrix), 5 mil (PDF417)

Field of view

Horizontal: 46.1°, Vertical 30.4°

Indicator

Beeper and LED

Reading distance

Up to 267 mm

ELECTRICAL

Voltage

DC 5V

ENVIRONMENT

Operating temperature

0 °C to 40 °C

Drop

1.5 m drops

PHYSICAL

Weight

300 g w/cable

Dimensions

73 mm (W) x 140 mm (H) x 70 mm (D)

MODELLI



995ED041500333

BARCODE SCANNER P-
SCANRANGER 2D FISSO SR500NM

Via Berettine, 2 - 43010 Fontevivo PR - P. IVA: IT02498250345 - TEL: +39 0521 680111 - FAX: +39 0521 610701 - CODICE UNIVOCO: 8RQN7AZ

I dati tecnici presenti su questo sito non sono impegnativi e possono essere modificati senza preavviso.

Ultimo aggiornamento: 20 maggio 2024